





























Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
ABA 20	210340	1,00	-035227	47,17	FM antenna; Crossed dipole; 87,50–108 MHz; Gain: –3 dB; Mast clamp 22...60 mm	
ABE 01	210332	1	-035197	51,57	FM antenna; 3 elements; 87,5–108 MHz; Gain: 4,0–5,5 dB; mast clamp 22...60 mm	
ABH 01	210335	1	-035203	70,96	FM antenna; 5 elements; 87,5–108 MHz; Gain: 7–8 dB; Mast clamp 22...60 mm	
AOI 65	212340	1	-038303	31,78	UHF antenna Olympia 90; DVB–T suitable; channel 21...69 (470...862 MHz); Gain: 7–9 dB; front mast mounting	
AON 65	212344	1	-038358	50,47	UHF antenna Olympia 130; DVB–T suitable; channel 21...69 (470...862 MHz); Gain: 8,5–13 dB; front mast mounting	
AOP 52	212347	1	-038389	66,96	UHF antenna Olympia 150; DVB–T suitable; Kanal 21...52 (470...726 MHz); Gain: 11–15 dB; front mast mounting	
AOP 65	212348	1	-038396	66,96	UHF antenna Olympia 150; DVB–T suitable; channel 21...69 (470...862 MHz); Gain: 9,5–15 dB; front mast mounting	
AOS 32	212349	1	-038402	98,95	UHF antenna Olympia 170; DVB–T suitable; channel 21...32 (470...566 MHz); Gain: 15,5–17 dB	
AOS 65	212352	1	-038433	98,95	UHF antenna Olympia 170; DVB–T suitable; channel 21...65 (470...830 MHz); Gain: 11–17 dB	
AOT 65	212353	1	-038440	107,94	UHF antenna Olympia 180; DVB–T suitable; channel 21...65 (470...830 MHz); Gain: 12–18 dB	
ARA 10	210115	1	-034947	107,94	AM/FM antenna; 1 element; top mast mounting; Gain: FM 0 dB, AM 5 dB, (rel to AM standard dipole)	
ARA 20	210116	1	-034954	116,94	AM/FM antenna; crossed dipole; 2 elements; top mast mounting; Gain: FM –3 dB, AM 5 dB, (rel to AM standard dipole)	
ARA 30	210117	1	-034961	128,93	AM/FM antenna; directional; 3 elements; top mast mounting; Gain: FM 3–5 dB, AM 5 dB, (rel to AM standard dipole)	
AU 14/60	212126	1	-037689	37,48	UHF antenna; 16 elements; DVB–T suitable; channel 21...60 (470...790 MHz); Gain: 8–14 dB	

Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
AU 16/29-32	212138	1	-037887	54,97	UHF antenna; 23 elements; DVB-T suitable; channel 29...32 (543...566 MHz); Gain: 15-16 dB	
AUY 69	212121	1 2	-037573 -037580	41,98	UHF-antenna; DVB-T suitable; channel 21...69 (470...862 MHz); Gain: 8-14 dB	
AV 06	211450	1	-036071	25,39	B III antenna Multika 60; DVB-T suitable; 4 elements; channel 5...12 (174...230 MHz); Gain: 5-6,5 dB	
AV 09	211453	1	-036132	36,88	B III antenna Multika 90; DVB-T suitable; 6 elements; channel 5...12 (174...230 MHz); Gain: 6-9 dB	
AV 11	211463	1	-036217	53,97	B III antenna Multika 110; DVB-T suitable; 9 elements; channel 5...12 (174...230 MHz); Gain: 7-11 dB	
AV 12	211473	1	-036248	65,96	B III antenna Multika 125; DVB-T suitable; 11 elements; channel 5...12 (174...230 MHz); Gain: 7,5-12,5 dB	
AVK 11/10	211650	1	-036569	56,97	B III antenna Monoka 110; DVB-T suitable; 9 elements; Ch10 (209...216 MHz); Gain: 11,5 dB	
AVK 11/11	211651	1	-036576	56,97	B III antenna Monoka 110; DVB-T suitable; 9 elements; Ch 11 (216...223 MHz); Gain: 11,5 dB	
AVK 11/12	211652	1	-036583	56,97	B III antenna Monoka 110; DVB-T suitable; 9 elements; Ch 12 (223...230 MHz); Gain: 11,5 dB	
AVK 11/5	211645	1	-036514	56,97	B III antenna Monoka 110; DVB-T suitable; 9 elements; Ch 5 (174...181MHz); Gain: 11 dB	
AVK 11/6	211646	1	-036521	56,97	B II antenna Monoka 110; DVB-T suitable; 9 elements; Ch 6 (181...188 MHz); Gain: 11 dB	
AVK 11/7	211647	1	-036538	56,97	B III antenna Monoka 110; DVB-T suitable; 9 elements; Ch 7 (188...195 MHz); Gain: 11,5 dB	
AVK 11/8	211648	1	-036545	56,97	B III antenna Monoka 110; DVB-T suitable; 9 elements; Ch 8 (195...202 MHz); Gain: 11,5 dB	
AVK 11/9	211649	1	-036552	56,97	B III antenna Monoka 110; DVB-T suitable; 9 elements; Ch 9 (202...209 MHz); Gain: 11,5 dB	






Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
AVK 13/10	211670	1	-036651	68,96	B III antenna Monoka 130; DVB-T suitable; 11 elements; Ch 10 (209...216 MHz); Gain: 13 dB	
AVK 13/11	211671	1	-036668	68,96	B III antenna Monoka 130; DVB-T suitable; 11 elements; Ch 11 (216...233 MHz); Gain: 13 dB	
AVK 13/12	211672	1	-036675	68,96	B III antenna Monoka 130; DVB-T suitable; 11 elements; Ch 12 (223...230 MHz); Gain: 13 dB	
AVK 13/5	211665	1	-036606	68,96	B III antenna Monoka 130; DVB-T suitable; 11 elements; Ch 5 (174...181 MHz); Gain: 12,5 dB	
AVK 13/6	211666	1	-036613	68,96	B III antenna Monoka 130; DVB-T suitable; 11 elements; Ch 6 (181...188 MHz); Gain: 13 dB	
AVK 13/7	211667	1	-036620	68,96	B III antenna Monoka 130; DVB-T suitable; 11 elements; Ch 7 (188...195 MHz); Gain: 13 dB	
AVK 13/8	211668	1	-036637	68,96	B III antenna Monoka 130; DVB-T suitable; 11 elements; Ch 8 (195...202 MHz); Gain: 13 dB	
AVK 13/9	211669	1	-036644	68,96	B III antenna Monoka 130; DVB-T suitable; 11 elements; Ch 9 (202...209 MHz); Gain: 13 dB	
BAS 60	216195	1	-372971	155,34	Planar antenna mobile; Single universal LNB; Reception range: 10,7–12,75 GHz	
BAS 62	216197	1	-372995	140,50	Planar antenna, fixed; Single universal LNB; Reception range: 10,7–12,75 GHz	
BZD 30	20710002	1 10	-428760 -428777	28,56	DVB-T indoor antenna; active; BIII/UHF ranges; horizontal/vertical polarisation; Current supply from receiver	
BZD 40	20710005	1 10	-447006 -447013	51,40	DVB-T antenna; active; outdoor; BIII/UHF ranges; horizontal/vertical polarisation; Current supply from receiver	
BZH 33	213623	1 10	-399213 -399565	14,99	TV-indoor antenna; Gain: B III 0 dB, UHF 5 dB	
BZX 31	213619	1 10	-039676 -039683	24,59	TV indoor antenna variable settable amplifier + loop-through input for existing antenna connect.; Gain: FM/VHF max. 20 dB, UHF max. 36 dB	







Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
BZX 33	213624	1 10	-399220 -399572	24,09	TV indoor antenna with low noise amplifier; Gain: B III 8 dB, UHF 10 dB	
CAP 210	20310010	1	-446825	1482,63	MobiSet 2 digital; Sat packet (Mobile system); comprising: BAS 60, UFD 170, turntable	
CAP 310	20310011	1	-446832	2134,85	MobiSet 3 digital; Sat packet (Mobile system); comprising: BAS 60, UFD 170, HTV 115, turntable; connection cables (12 V) for HTV 115	
CAS 06	20010005	1	-461040	74,25	Offset parabol antenna 57 cm; White; Alu reflector powder coated; Mast clamp range: 38–60 mm, steel galvanised and coated	
CAS 075	216218	1	-043093	138,21	Offset parabol antenna 75 cm; White; Alu reflector powder coated; Mast clamp range: 38–76 mm, steel galvanised and coated; Multi-feed prepared	
CAS 09	216083	1	-042492	178,19	Offset parabol antenna 90 cm; White; Alu reflector powder coated; Mast clamp range: 48–90 mm, steel galvanised and coated; Multi-feed prepared	
CAS 120	20010008	1	-413735	376,94	Offset parabol antenna 1,2 m; White; Alu reflector powder coated; Support: sheet steel galvanised and coated; with variable multi-feed LNB attachment	
CAS 60	20010006	1	-461057	74,25	Offset parabol antenna 57 cm; Graphite; Alu refl. Powder coated; mast clamp: 38–60 mm, galvanised steel and coated	
CAS 75	216223	1	-043161	138,21	Offset parabol antenna 75 cm; Graphite; Alu refl. Powder coated; mast clamp: 38–76 mm, galvanised steel and coated; multi-feed prepared	
CAS 75/R	216261	1	-380150	138,21	Offset parabol antenna 75 cm; Red-brown; Alu refl. Powder coated; mast clamp: 38–76 mm, galvanised steel and coated; multi-feed prepared	
CAS 90	216224	1	-043185	178,19	Offset parabol antenna 90 cm; Graphite; Alu refl. Powder coated; Mast clamp: 48–90 mm, galvanised steel and coated; multi-feed prepared	
CAS 90/R	216262	1	-384110	178,19	Offset parabol antenna 90 cm; Red brown; Alu refl. Powder coated; Mast clamp: 48–90 mm, galvanised and coated steel; Multi-feed prepared	
EAC 01	272049	1 10 200	-435416 -128783 -348259	3,50	1-way F-type tap 8,5 dB, 5–1000 MHz, isolating capacitors on in and outputs, screening class A acc. to CENELEC EN 50083	
EAC 02	272053	1 10 200	-435423 -128806 -348266	3,50	1-way F-type tap 12 dB, 5–1000 MHz, isolating capacitors on in and outputs, screening class A as per CENELEC EN 50083–2	

Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
EAC 03	272054	1 10 200	-435430 -128820 -348273	3,50	1-way F-type tap 16 dB, 5–1000 MHz, isolating capacitors on in and outputs, screening class A acc. to CENELEC EN 50083–2	
EAC 04	272055	1 10 200	-435447 -128844 -348280	3,50	1-way F-type tap 20 dB, 5–1000 MHz, isolating capacitors on in and outputs, screening class A acc. to CENELEC EN 50083–2	
EAC 08	272855	1 10 200	-435454 -339110 -339127	5,70	1-way F-type tap 11 dB, 5–2400 MHz, isolating capacitors on the tap outputs, screening class A; remote feed up to 24 V/0,5 A	
EAC 09	272856	1 10 200	-435461 -339097 -339103	5,70	1-way F-type tap 15 dB, 5–2400 MHz, isolating capacitors on the tap outputs, screening class A; remote feeding to 24 V/0,5 A	
EAC 12	272327	1 20	-130311 -340420	17,79	1-way tap 11 dB, 0,15–2150 MHz, clamp connection, screening class A acc. to CENELEC EN 50083–2	
EAC 16	272328	1 20	-130328 -340437	17,79	1-way tap 14 dB, 0,15–2150 MHz, clamp connection, screening class A acc. to CENELEC EN 50083–2	
EAC 22	272329	1 20	-130335 -340444	17,79	1-way tap 20 dB, 0,15–2150 MHz, clamp connection, screening class A gem. CENELEC EN 50083–2	
EAD 01	272344	1 10 200	-435478 -130519 -352942	5,00	2-way F-type tap 8,5 dB; 5–1000 MHz, isolating capacitors on in/outputs, screening class A acc. to CENELEC EN 50083–2	
EAD 02	272345	1 10 200	-435485 -130533 -348334	5,00	2-way F type tap 12 dB, 5–1000 MHz, isolating capacitors on in/outputs, screening class A acc. to CENELEC EN 50083–2	
EAD 03	272346	1 10 200	-435508 -130557 -130564	5,00	2-way F-type tap 16 dB, 5–1000 MHz, isolating capacitors on in/outputs, screening class A acc. to CENELEC EN 50083–2	
EAD 04	272347	1 10 200	-435515 -130588 -130595	5,00	2-way F-type tap 20 dB, 5–1000 MHz, isolating capacitors on in/outputs, screening class A acc. to CENELEC EN 50083–2	
EAD 08	272857	1 10 200	-435539 -339141 -339158	6,90	2-way F-type tap 11dB, 5–2400 MHz, isolating capacitors on the tap outputs, screening class A; remote feed to 24 V/0,5 A	
EAD 09	272858	1 10 200	-435546 -339172 -339189	6,90	2-way F-type tap 15dB, 5–2400 MHz, isolating capacitors on the tap outputs, screening class A; remote feed to 24 V/0,5 A	
EAD 12	272348	1 20	-130601 -367588	23,49	2-way tap 11dB, 0,15–2150 MHz, clamp connection., screening class A acc. to CENELEC EN 50083–2	

Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
EAD 16	272349	1 20	-130618 -367595	23,49	2-way tap 14dB, 0,15–2400 MHz, clamp connection., screening class A acc. to CENELEC EN 50083–2	
EAD 21	272307	1 20	-130267 -367564	23,49	2-way tap 20dB, 0,15–2150 MHz, clamp connection., screening class A acc. to CENELEC EN 50083–2	
EAX 24	21610001	1 10 50	-435553 -412424 -412431	10,99	4-way F-type end-tap 5–1000 MHz, isolating capacitors on i/outputs, tap loss: 11,0/12,0 dB; screening class A	
EAX 26	21610002	1 10 50	-435560 -412448 -412455	12,59	6-way F-type tap 5–1000 MHz, screen class A, isolating capacitors on in/outputs, Tap loss: 16,0 dB, thru' loss.: 5,7 dB	
EAX 28	21610003	1 10 50	-435577 -412462 -412479	16,69	8-way F-type tap 5–1000 MHz, screen class A, isolating capacitors on in/outputs, tap loss: 18,0 dB, thru' loss: 8,0 dB	
EAX 28	272251	10 50	-129896 -348310	16,69	8-way F-type tap 5–862 MHz, screening class A, isolating capacitors on in/outputs, tap loss: 13–20,5 dB, thru' loss: 8 dB	
EBC 02	272606	1 10 200	-435584 -133077 -348341	3,10	2-way F-type splitter, 5–1000 MHz, isolating capacitors on in/outputs, screening class A CENELEC EN 50083–2	
EBC 03	272607	1 10 200	-435591 -336270 -348358	5,00	3-way F-type splitter, 5–1000 MHz, isolating capacitors on in/outputs, screening class A CENELEC EN 50083–2	
EBC 04	272608	1 10 200	-435607 -133107 -348365	5,50	4-way F-type splitter, 5–1000 MHz, isolating capacitors on in/outputs, screening class A CENELEC EN 50083–2	
EBC 06	272635	1 10 50	-435614 -376627 -382147	12,59	6-way F-type splitter, 5–1000 MHz, isolating capacitors on in/outputs, screening class A CENELEC EN 50083–2	
EBC 08	272636	1 10 50	-435621 -376641 -382154	16,69	8-way F-type splitter, 5–1000 MHz, isolating capacitors on in/outputs, screening class A CENELEC EN 50083–2	
EBC 10	272859	1 10 200	-435638 -339202 -339219	5,90	2-way F-type splitter 5–2400 MHz, screening class A, earth clamp, remote feed max. 24 V/0,5 A (2 outputs), isolating diodes OUT->IN	
EBC 11	272863	1 10 200	-435645 -339233 -339240	8,50	3-way F-type splitter 5–2400 MHz, screen class A, earth clamp, remote feed max. 24 V/0,5 A (1 output), isolating diodes OUT->IN	
EBC 12	272864	1 10 160	-435652 -339264 -339271	10,39	4-way F-type splitter 5–2400 MHz, screen class A, earth clamp, remote feed max. 24 V/0,5 A (1 output), isolating diodes OUT->IN	

Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
EBC 13	21610004	1 10 200	-456220 -456237 -456244	8,50	3-way F-type splitter 5–2400 MHz, screen class A, earth clamp, remote feed max. 24 V/0,5 A (3 output), isolating diodes OUT→IN	
EBC 14	21610005	1 10 160	-456268 -456275 -456282	10,39	4-way F-type splitter 5–2400 MHz, screen class A, earth clamp, remote feed max. 24 V/0,5 A (4 output), isolating diodes OUT→IN	
EBC 20	272627	1 20	-133282 -340550	23,49	2-way splitter, 0,15–2150 MHz, clamp connection, screen class A CENELEC EN 50083–2	
EBC 24	272628	1 20	-133299 -340567	28,08	2-way splitter, 0,15–2150 MHz, clamp connection, screening class A CENELEC EN 50083–2, remote feed to 24 V/0,5 A, with isolating diodes	
EBC 30	272629	1 20	-133305 -340574	28,58	3-way clamp connection splitter, 0,15–2150 MHz, screening class A CENELEC EN 50083–2	
EBI 24	273282	1 20	-354588 -354595	5,10	T-connector TV, 4–862 MHz, Input: 1 x IEC (f), Outputs: 2 x IEC–(m), Splitting loss: 3,5 dB, screening: VHF/UHF > 85/75 dB, screen class A	
EBL 44	272612	1 20	-133138 -340581	33,68	4-way clamp connection splitter, 0,15–2150 MHz, screening class A CENELEC EN 50083–2	
EBX 520	273292	1 10	-394201 -394218	44,55	Sat-IF F-type splitter, 47–2150 MHz; cascadable w. EXR 5.. matrix system; 5 splitters in one housing; 5-line F-quick coupler included	
EFK 74	226412	1 20	-068669 -068676	106,94	FM trap; 6 tunable circuits 87,5–108 MHz; IEC; trap loss: 10–22 dB (w. multiple tuning), remote feed current max. 1000 mA	
EFS 63	226910	1 20	-070389 -070396	120,93	UHF 6-channel tunable trap, 470–862 MHz, IEC (f), trap loss: >17→32 dB (2 circuits on 1 carrier), remote feed current max. 400 mA	
EMK 01	273167	10 100 2000	-437687 -135675 -135651	0,29	F-screw-on connector; for cables: LCD 90, LCD 95, LCD 99, LCD 110, LCD 111, screening factor: > 90 dB, screen class A	
EMK 02	21210014	10 100 2000	-437823 -416200 -416217	0,30	F-quick screw-on connector; for cables: LCD 90, LCD 95, LCD 99, LCD 110, LCD 111, screening factor: > 90 dB, screen class A	
EMK 03	273169	10 100 2000	-437816 -135729 -378263	0,31	F-type termination resistor; 75 Ohm; screening class A	
EMK 08	273171	10 100	-135774 -135781	1,40	IEC angle connector, for cable with D = 4–6 mm: LCD 89, LCD 90, LCD 95, LCD 99, LCD 110, LCD 111, screening factor: VHF > 75 dB, UHF > 65 dB	

Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
EMK 11	273263	10 100 2000	-439360 -378287 -378294	0,46	F-crimp connector; for cables: LCD 90, LCD 95, LCD 99, LCD 110, LCD 111, screening factor: > 90 dB, screen class A	
EMK 12	21210018	100 2000	-454202 -454653	0,46	F-compression connector; for cables: LCD 90, LCD 95, LCD 99, LCD 111, screening factor: > 90 dB, screen class A	
EMK 15	273276	10 100	-357015 -341830	0,31	F-screw-on connector; for LCD 89; screening factor: > 90 dB, screening class A	
EMK 17	273291	10 100	-382314 -382321	1,20	F-screw-on connector; for cables: LCM 14, LCM 17; screening factor: > 90 dB, screening class A	
EMK 18	21210013	10 100	-412615 -412622	2,00	F-crimp connector for cable: LCM 14; screening factor: > 90 dB, screening class A	
EMK 19	21210019	50 1000	-454714 -454721	3,90	F-compression connector; for cables: LCM 14, LCM 17; screening factor: > 90 dB, screen class A	
EMK 21	273120	10 100	-134944 -134951	1,50	IEC connector for cable with D = 4-7 mm: LCD 89, LCD 90, LCD 95, LCD 99, LCD 110, LCD 111; screening factor: VHF > 75 dB, UHF > 65 dB	
EMK 62	273123	10 100	-134975 -134982	1,96	IEC (f) connector for cable with D = 4-7 mm: LCD 89, LCD 90, LCD 95, LCD 99, LCD 110, LCD 111; screening factor: VHF > 75 dB, UHF > 65 dB	
EMU 01	273247	10 100 1000	-136474 -366758 -440021	1,90	IEC coupler (double connector)	
EMU 02	273245	10 100 2000	-439377 -136436 -354243	1,80	F angled connector; screening factor: > 90 dB, screening class A	
EMU 03	273246	5 10 100 2000	-440700 -439391 -136450 -342080	0,91	F double socket; screening factor: > 90 dB, screening class A	
EMU 04	273244	10 100 2000	-439407 -136412 -342097	1,20	F double connector; screening factor: > 90 dB, screening class A	
EMU 05	273270	10 100 1000	-354250 -136788 -136795	1,90	F test connector (m); screening factor: > 90 dB, screening class A	
EMU 06	273271	10 100 1000	-136818 -136825 -136832	0,81	F adapter, F (m) connector/IEC (f) socket, screening factor: VHF/UHF > 85/75 dB, screening class A	

Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
EMU 07	273272	10 100 1000	-354267 -136856 -136863	0,59	F adapter, F (m)/IEC (m) connector, screening factor: VHF/UHF > 85/75 dB, screening class A	
EMU 08	273273	10 100 1000	-354274 -136894 -136887	1,20	F adapter, IEC (f) / F(f), screening factor: VHF/UHF > 85/75 dB, screen class A	
EMU 09	273274	10 100 1000	-354281 -136924 -136917	0,59	F adapter, IEC (m)/F (f), screening factor: VHF/UHF > 85/75 dB, screening class A	
EMU 10	273275	10 100 1000	-366727 -136955 -440014	2,60	IEC coupler (double socket (f-f))	
EMU 12	273281	5 100	-437342 -352812	1,70	F-type DC-block 5-2400 MHz, F (m) / F (f), to block DC paths in Sat IF distribution systems, screening factor: > 90 dB, screen class A	
EMU 21	273284	5 100	-437359 -365744	0,91	F-earthing block 1-way; F-thru' (f) sockets with earth connection	
EMU 22	273285	5 100	-437366 -365775	1,50	F-earthing block 2-line; 2 x F-thru' sckets with earth connection	
EMU 24	21210020	5 100	-454073 -454080	2,50	F-earthing block 4-line; 4 x F-thru' sckets with earth connection	
EMU 40	273283	1 10 100	-361364 -361371 -361388	6,28	4-line F-quick coupler	
EMU 50	273286	1 10 100	-378584 -378591 -379246	7,88	5-line F-quick coupler	
ERA 12	272822	10 100 1000	-134418 -134425 -134432	0,70	Termination resistance, 75 Ohm, clamp-in type	
ERA 14	272899	10 100 1000	-391545 -439421 -391859	1,80	Termination resistance 75 Ohm; clamp-in type; capacitive isolation; for down-leads with remote feeding	
ERD 21	272868	1 10	-134500 -134517	20,09	Variable attenuator IEC, 0,15-2400 MHz, Range: 0,5-20 dB, screen class A	
ERD 23	272869	1 10	-134524 -336294	23,09	Variable attenuator F, 47-2400 MHz, DC-passage, Range: 0,5-10 dB, screen class A	




Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
ERE 01	274854	1 20 200	-143168 -143175 -143182	5,71	F-type attenuation plug, 6 dB; 0–2400 MHz; remote feedable: 24 V/1A, screen class A	
ERE 02	274855	1 20 200	-143199 -143205 -143212	5,71	F-type attenuation plug, 12 dB; 0–2400 MHz; remote feedable: 24 V/1A, screen class A	
ERT 903	273692	1 10 100	-385841 -385858 -386947	5,80	Equaliser insert card 3 dB; 862 MHz; for VOS 13x/G	
ERT 906	273695	1 10 100	-385902 -385919 -386978	5,80	Equaliser insert card 6 dB; 862 MHz; for VOS 13x/G	
ERT 907	273696	1 10 100	-385926 -385933 -386985	5,80	Equaliser insert card 7 dB; 862 MHz; for VOS 13x/G	
ERZ 100	272790	1 10	-399305 -399312	21,39	De-emphasis-equaliser, matching house /distribution net amplifier VOS 13x/G, to neutralise pre-emphasis in 862 MHz cable nets	
ERZ 101	20910011	1 10	-432323 -432330	20,99	De-emphasis-equaliser, matching house/distribution net amplifier VOS 13x/G, to neutralise pre-emphasis in 862 MHz cable nets	
ERZ 110	272670	1 10	-396380 -396397	18,09	Cable equaliser 47–450 MHz, F-connections, Equaliser range: 1–16 dB, steplessly settable, basic loss: 1 dB (450 MHz)	
ERZ 111	272671	1 10	-396403 -396410	18,09	Cable equaliser 47–606 MHz, F-connections, Equaliser range: 1–16 dB, steplessly settable, basic loss: 1 dB (606 MHz)	
ERZ 112	272672	1 10	-396427 -396434	18,09	Cable equaliser 47–862 MHz, F-connections, Equaliser range: 1–16 dB, steplessly settable, basic loss: 1 dB (862 MHz)	
ERZ 120	272791	1 20	-461460 -461477	16,19	De-emphasis-equaliser, for F-type house amplifier (add-on unit), to neutralise pre-emphasis in 862 MHz cable nets	
ERZ 60	272783	1 10	-134364 -354205	14,85	Sat fixed equaliser 10 dB, 950–2400 MHz, Basic loss: 1 dB at 2400 MHz, screen class A	
ERZ 940	24510059	1 10	-447105 -447112	12,49	De-emphasis-equaliser, for house connect/net amplifier VOS 9xx; equaliser value 7 dB; to neutralise pre-emphasis in 862 MHz cable nets	
ESD 08	274197	10 50	-140297 -140280	6,85	End antenna outlet 2-port; 0,15–2400 MHz; for two individual downloads; DC-passage; Connection loss: VHF/UHF 0,2 dB, SAT 0,5 dB	




Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
ESD 30	274209	10 50	-140617 -140624	10,28	End antenna outlet 3-port; 2 x 4-862 a. 950-2400 MHz; DC-passage over SAT port; Connection loss: VHF 3,5 dB, UHF 4 dB, SAT 1 dB	
ESD 32	274421	10 50	-142062 -336317	9,37	End antenna outlet 3-port; 47-862 a. 950-2400 a. 47-2400 MHz; for two separate downleads; DC-passage over 2 x SAT; conenction loss: 1 dB	
ESD 44	274418	10 50	-141973 -141980	8,00	Loop-thru' 2-port antenna outlet; 2 x 4-2400 MHz; Connection loss: VHF/UHF 14,5 dB, SAT 15/16 dB	
ESD 52	274224	10 50	-140945 -140952	9,71	Loop-thru' 2-port antenna outlet; 2 x 47-2400 MHz; DC-passage over TV/SAT; Connection loss: VHF/UHF 14,5 dB, SAT 15 dB	
ESD 64	274198	10 50	-140310 -140327	8,34	Loop-thru' 2-port antenna outlet; 4-68 / 118-862 a. 87-108 MHz; connection loss: FM 10 dB, VHF/UHF 8 dB	
ESD 84	274425	10 50	-338540 -338632	7,08	End 2-port antenna outlet; 2 x 4-2400 MHz; DC-passage over TV/SAT; connection loss: VHF/UHF 3,8 dB, SAT 4,3 dB	
ESD 85	274426	10 50	-338649 -338656	8,34	End 2-port antenna outlet; 0,15-30/87-108 a. 47-68/118-2400 MHz; DC-passage over TV/SAT; connection loss: AM/FM 7/1 dB, VHF/UHF/SAT 1	
ESE 10	274233	10 50	-352355 -352362	8,34	Loop-thru' 2-port antenna outlet; 2 x 4-2400 MHz; Double directional coupler; Connection loss: VHF/UHF 11 dB, SAT 11 dB	
ESE 14	274235	10 50	-352386 -352393	8,34	Loop-thru' 2-port antenna outlet; 2 x 4-2400 MHz; Double directional coupler; connection loss: VHF/UHF/SAT 13,5 dB	
ESE 17	274237	10 50	-352416 -352423	8,34	Loop-thru' 2-port ant. outlet; 2 x 4-2400 MHz; Double directional coupler; connection loss: VHF/UHF/SAT 17 dB	
ESE 20	274238	10 50	-352447 -352454	8,34	Loop-thru' 2-port ant. outlet; 2 x 4-2400 MHz; Double directional coupler; connection loss: VHF/UHF/SAT 20 dB	
ESM 20	21110008	10 50	-440809 -440816	12,91	Modem end 3-port ant. outlet; Modem: 5-862 MHz; TV: 47-68/111-862 MHz; FM.: 87,5-108 MHz; connection loss: 4 dB	
ESM 30	274429	10 50	-387289 -387296	12,91	Modem end 3-port ant. outlet; Modem: 5-862 MHz; TV: 80-862 MHz; FM: 80-862 MHz; connection loss: 6 dB	
ESM 31	274430	10 50	-387319 -387326	11,54	Modem thru' 3-port ant. outlet; Modem: 5-862 MHz; TV: 80-862 MHz; FM: 80-862 MHz; connection loss: 14 dB	















Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
ESM 32	21110010	10 50	-450655 -450662	11,54	Modem thru' 3-port antenna outlet; Modem: 5-862 MHz; TV: 80-862 MHz; FM: 80-862 MHz; connection loss: 10 dB	
ESM 40	274456	10 50	-402234 -402241	13,71	Modem end 3-port ant. outlet; selective; Modem: 5-862 MHz; TV: 118-862 MHz; FM: 87-108 MHz; connection loss: 3,5-4,5 dB, Ret. path: 1 dB	
ESM 41	274457	10 50	-402265 -402272	11,88	Modem thru' 3-port ant. outlet; selective; Modem: 5-862 MHz; TV: 118-862 MHz; FM: 87-108 MHz; connection loss: 13,5-15 dB	
ESM 42	274458	10 50	-402296 -402302	11,88	Modem thru' 3-port ant. outlet; selective; Modem: 5-862 MHz; TV: 118-862 MHz; FM: 87-108 MHz; connection loss: 10-11,5 dB	
ESN 85	274424	10 50	-335501 -338625	9,02	End 2-port ant. outlet; 4-75/160-862 a. 87-140 MHz; connection loss: FM 1 dB, VHF/UHF 0,5 dB	
ESO 95	271983	1	-333811	542,56	Reflector heating panel for offset antennas CAS 09/90	
ESO 96	271985	1	-333804	325,54	Controller for reflector heating panel ESO 95 (CAS 09/90); temperature dependant control	
EST 20	274230	1 10	-394843 -394850	10,62	Ant. outlet add-on to combine telephone/data stream nets with Kathrein ant. outlets; 2 x RJ 45 connections (1 x telephone, 1 x 10 Base T)	
ESU 32	21110005	10 50	-420498 -420511	16,56	Loop-thru' 3-port outlet for UFOmicro systems; 87-108 a. 47-68/118-862 a. 950-2150 MHz; DC-passage over SAT; connection loss: FM 11 dB,	
ESU 33	21110012	10 50	-454233 -454240	16,56	Loop-through outlet single cable system; 3-port; 87-108 a. 47-68/118-862 a. 950-2150 MHz; DC-pass. over SAT port; Connection loss: 10 dB (FM 11 dB)	
ESU 34	21110011	10 50	-454028 -454035	16,56	End antenna outlet single cable system; 3 port; 87-108 a. 47-68/118-862 a. 950-2150 MHz; DC-pass. over SAT port; Connection loss: 0,5-1 dB	
ESZ 44	274318	10 100 500	-141324 -436093 -141331	1,40	Central cover plate, universally usable, 55 x 55 mm, Pearl white, RAL 1013	
ESZ 50	274226	10 360	-141003 -348242	1,80	On-wall outlet frame; suitable for cover plates ESZ 52/53/54; 82 x 82 mm; pure white, RAL 9001	
ESZ 53	274228	10 100 800	-141065 -434846 -348211	1,40	Cover plate 3-port; 80 x 80 mm; white, RAL 9001	















Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
ESZ 54	274453	10 100 800	-401367 -434860 -401374	1,40	Cover plate 3–port for modem outlet; printed with TV/Data/R; 80 x 80 mm; white, RAL 9001	
ETG 15	274779	1 50	-389610 -389627	3,31	Receiver connection cable 1,5 m; F–male/F–male	
ETG 30	274778	1 50	-389634 -389641	4,80	Receiver connection cable 3,0 m; F–male/F–male	
ETH 15	274761	1 50	-142581 -142598	5,40	Receiver connection cable 1,5 m, IEC angled plug	
ETH 30	274762	1 50	-142611 -142628	6,40	Receiver connection cable 3,0 m; IEC angled plug	
ETH 50	274763	1 50	-142635 -142642	8,70	Receiver connection cable 5,0 m, IEC angled plug	
EUE 22	274827	1 10	-142901 -335518	41,12	Receiver diplexer TV/SAT; 47–862 MHz a. 950–2400 MHz; DC passage over SAT connection	
EV 06	218464	1 30	-401732 -401749	12,99	Antenna connection set, outdoor outlet with 5 m coaxial cable, F–type connector	
EVK 14	273190	1 20	-136061 -348556	11,19	Cable coupler up to D = 1,1/7,3 mm, 0,15–2150 MHz, clamp connection, for indoor mounting, screening class A CENELEC EN 50083–2	
EVK 21	273134	10 200	-135033 -135040	2,10	Cable coupler, for coaxial cable with cable diameter to 8 mm, tool–less clamp fixing, screening factor > 75 dB	
EVL 165	20410005	5 50	-420306 -420320	1,71	Connection lead F–Quick; Length: 165 mm; for simple mounting of UFOmicro	
EXR 03	273367	1 10	-359415 -359514	33,12	Analogue/Digital switch; 950–2150 MHz; input: IEC female; output: 2 x cable with F–connector; passage: 14/18 V, 0/22 kHz	
EXR 1512	20510013	1 10	-448706 -448829	113,08	Multi–switch 5 to 12; 47–862/4 x 950–2150 MHz; F–connectors; integrated psu 18 V/550 mA; Connection loss: SAT 12–7 dB/terr. 8–4 dB	
EXR 1516	20510014	1 10	-448836 -448843	124,50	Multi–switch 5 to 16; 47–862/4 x 950–2150 MHz; F–connectors; integrated psu 18 V/550 mA; Connection loss: SAT 12–7 dB/terr. 8–4 dB	















Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
EXR 156	20510011	1 10	-448669 -448676	78,81	Multi-switch 5 to 6; 47-862/4 x 950-2150 MHz; F-connectors; integrated psu 18 V/550 mA; Connection loss: SAT 12-7 dB/terr. 4-0 dB	
EXR 158	20510012	1 10	-448683 -448690	85,67	Multi-switch 5 to 8; 47-862/4 x 950-2150 MHz; F-connectors; integrated psu 18 V/550 mA; Connection loss: SAT 12-7 dB/terr. 4-0 dB	
EXR 21	273434	1 10	-401626 -401633	35,41	DiSEqC switch matrix 2 to 1; F-connectors; current supply: 35 mA from Sat receiver; DiSEqC-controlling: Pos. A/B, Option A/B or	
EXR 24	20510005	1 10	-428784 -428791	90,24	DiSEqC switch matrix 4 x 2 to 1; F-connectors; current supply: 35 mA from Sat receiver; DiSEqC controlling: Pos. A/B, Option A/B or uncommitted	
EXR 304	273384	1 10	-362095 -363863	52,54	End switching matrix 3 to 4; 47-862 a. 2 x 950-2400 MHz; F-connectors; current supply: < 65 mA from Sat receiver	
EXR 308	273348	1 10	-338809 -347306	114,22	Switch matrix 3 to 8; 47-862 a 2 x 950-2400 MHz; cascable; F-connectors; incl. plug-in psu NCF 18 (18 V/650 mA)	
EXR 334	273349	1 10	-338823 -347313	55,97	Loop-thru' matrix 3 to 4; 47-862 a. 2 x 950-2400 MHz; 3 loop-thru'/4 switched tap outputs; F-connectors; cascable; 3-line F-quick coupler	
EXR 5012/T	20510008	1 5	-440922 -440939	227,31	Switching matrix 5 to 12; 5-862 active/passive a. 4 x 950-2150 MHz; cascable; F-connectors; integrated psu: 18 V/700 mA, 22 kHz (high inputs)	
EXR 5016/T	20510009	1 5	-440946 -440953	250,15	Switching matrix 5 to 16; 5-862 active/passive a. 4 x 950-2150 MHz; cascable; F-connectors; integrated psu: 18 V/700 mA, 22 kHz (high inputs)	
EXR 504	273352	1 10	-338830 -347337	97,09	Switching matrix 5 to 4; 47-862 a. 4 x 950-2400 MHz; cascable; F-connectors; incl. Plug-psu NCF 18 (18 V/650 mA)	
EXR 506/T	20510010	1 10	-440960 -440977	124,50	Switching matrix 5 to 6; 5-862 active/passive a. 4 x 950-2150 MHz; cascable; F-connectors; integrated psu: 18 V/700 mA, 22 kHz (high inputs)	
EXR 508/T	20510007	1 10	-440786 -440793	147,35	Switching matrix 5 to 8; 5-862 active/passive a. 4 x 950-2150 MHz; cascable; F-connectors; integrated psu: 18 V/700 mA, 22 kHz (high inputs)	
EXR 514	273389	1 10	-369636 -371813	67,39	End matrix 5 to 4; 47-862 a. 4 x 950-2400 MHz; cascable (extra NCF 18 needed); F-connectors; LNB feed over receiver	
EXR 554	273353	1 10	-338854 -347344	82,24	Loop-thru' matrix 5 to 4; 47-862 a. 4 x 950-2400 MHz; 5 loop-thru'/4 switched tap outputs; F-connectors.; cascable; 5-line F-quick coupler	















Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
EXR 558	273426	1 10	-384189 -398261	151,92	Loop-thru' matrix 5 to 8; 47-862 a. 4 x 950-2150 MHz; 5 loop-thru/8 switched tap outputs; F-connenctors.; cascable; 5-line F-quick coupler	
EXR 904	20510003	1 10	-420726 -420733	274,14	DiSEqC switching matrix 9 to 4; 47-862 a. 8 x 950-2150 MHz; cascable; F-connectors; integrated psu: 18 V/1000 mA, 0/22 kHz	
EXR 908	273439	1 5	-404634 -415142	376,94	DiSEqC switching matrix 9 to 8; 47-862 a. 8 x 950-2150 MHz; cascable; F-connectors; integrated psu: 18 V/1000 mA, 0/22 kHz	
EXR 994	273392	1 10	-380174 -381058	209,03	DiSEqC loop-thru' matrix 9 to 4; 47-862 a. 8 x 950-2150 MHz; 9 loop-thru/4 switched tap outputs; F-connectors.; cascable; 9-line F-quick coupler	
EXR 998	273440	1 5	-404665 -415159	318,68	DiSEqC loop-thru' matrix 9 to 8; 47-862 a. 8 x 950-2150 MHz; 9 loop thru/8 switched tap outputs; F-connectors.; cascable; 9-line F-quick coupler	
EXU 544	273443	1 5	-402982 -403019	455,75	UFOmicro base unit; single cable matrix for 4 subscribers; 5 inputs (terr. a. 4 x Sat); cascable; F-connectors; integrated psu	
HD 35	214125	1 5	-040313 -040320	94,95	TV mobile directional antenna; reception range: 162-230 MHz; 470-862 MHz	
HDK 80	274740	1 50	-142321 -142338	13,59	Connection cable BAS 60 - receiver; Length: 8 m	
HDM 135	218429	1 4	-046858 -046865	57,97	Built-in mast SHAPEG-Inanten, for mobile antenna HD 35	
HDM 140	218456	1	-378430	158,77	Sat angled mast for BAS 60 for caravans	
HDM 141	218457	1	-378447	158,77	Sat angled mast for BAS 60 for lorries	
HDM 143	218458	1	-379567	124,50	Refit Sat angled mast for BAS 60 for caravans	
HDP 171	20410018	1	-455032	804,14	Turnable unit for BAS 60; complete with cable set; to retro-fit to automatic alignment; UFD 170 or HDS 160 and UFD 540 also needed	
HDS 150	20410003	1	-418709	106,23	Stand alone Sat angled mast for BAS 60	

Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
HDS 160	20410004	1	-418945	250,15	Connection/control unit to retro-fit HDP 160 for digital reception; (UFD 540 is also needed)	
HTZ 15	20410010	1	-437915	66,82	Wall support for LCD/TFT TV set HTV 115	
KAZ 11	507205	1 20	-400971 -400988	31,18	Voltage surge protection, 5–3000 MHz, F-connect.; remote feeding < 24 V DC/2 A; test socket –20 dB; protects against transient over-voltage	
KAZ 12	21810002	1 20	-450785 -451928	19,49	Lightning arrester; general protection against higher discharged currents; 5–2400 MHz; F connectors; remote feeding < 60 V/2 A	
LCD 111	21510011	100	-447044 -447051	41,43	Coaxial cable 7 mm; PVC white; 100 m. one-way drum; screening factor: 110 dB; meter marking; attn./100 m: 17 dB (800 MHz), 28 dB (2050 MHz)	
LCD 111	21510012	100	-447068	41,43	Coaxial cable 7 mm; PVC white; 500 m. one-way drum; screening factor: 110 dB; meter marking; attn./100 m: 17 dB (800 MHz), 28 dB (2050 MHz)	
LCD 89	21510004	100	-420801 -420818	31,62	Coaxial cable 5 mm; PVC white; 100 m. one-way drum; screening factor: 90 dB; meter marking; attn./100 m: 25 dB (800 MHz), 42 dB (2050 MHz)	
LCD 89	21510005	100	-420832	31,62	Coaxial cable 5 mm; PVC white; 500 m. one-way drum; screening factor: 90 dB; meter marking; attn./100 m: 25 dB (800 MHz), 42 dB (2050 MHz)	
LCD 90	21510006	100	-423246	32,71	Coaxial cable 7 mm; PVC white; 250 m. roll-off box; screening factor: 75/65 dB; meter marking; attn./100 m: 18 dB (800 MHz), 31 dB (2050 MHz)	
LCD 90	271648	100	-126246 -346811	32,71	Coaxial cable 7 mm; PVC white; 100 m. one-way drum; screening factor: 75/65 dB; meter marking; attn./100 m: 18 dB (800 MHz), 31 dB (2050 MHz)	
LCD 90	271650	100	-126291	32,71	Coaxial cable 7 mm; PVC white; 500 m. one-way drum; screening factor: 75/65 dB; meter marking; attn./100 m: 18 dB (800 MHz), 31 dB (2050 MHz)	
LCD 95	21510007	100	-423253	38,16	Coaxial cable 7 mm; PVC white; 250 m. roll-off box; screening factor: 90 dB; meter marking; attn./100 m: 17 dB (800 MHz), 28 dB (2050 MHz)	
LCD 95	271657	100	-389276 -357992	38,16	Coaxial cable 7 mm; PVC white; 100 m. one-way; screening factor: 90 dB; meter marking; attn./100 m: 17 dB (800 MHz), 28 dB (2050 MHz)	
LCD 95	271762	100	-400315	38,16	Coaxial cable 7 mm; PVC white; 500 m. one-way drum; screening factor: 90 dB; meter marking; attn./100 m: 17 dB (800 MHz), 28 dB (2050 MHz)	

Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
LCD 99	271658	100	-365713 -366581	49,06	Coaxial cable 7 mm; black; hal. free/flare retard. 100 m. drum; screen factor: 90 dB; meter marked; attn./100 m: 17 dB (800 MHz), 28 dB (2050 MHz)	
LCD 99	271660	100	-366338	49,06	Coaxial cable 7 mm; black; hal.free/flare retard.; 500 m. drum; screen factor: 90 dB; meter marked; attn./100 m: 17 dB (800 MHz), 28 dB (2050 MHz)	
LCM 14	271576	100	-383090	115,57	Coaxial cable 10,4 mm; black; hal.free/flare ret.; 100 m. bundle; screen factor: 90 dB; mtr. marked; attn./100 m: 12 dB (800 MHz), 21 dB (2050 MHz)	
LCM 14	271665	100	-378546	115,57	Coaxial cable 10,4 mm; black; hal.free/flare ret.; 500 m. drum; screen factor: 90 dB; meter marked; attn./100 m: 12 dB (800 MHz), 21 dB (2050 MHz)	
LCM 17	21510008	100	-438318	104,67	Coaxial cable 10,4 mm; PE black; 100 m. bundle; screen factor: 90 dB; meter marked; atten./100 m: 12 dB (800 MHz), 21 dB (2050 MHz)	
LCM 17	21510009	100	-438325	104,67	Coaxial cable 10,4 mm; PE black; 500 m. drum; screen factor: 90 dB; meter marked; atten./100 m: 12 dB (800 MHz), 21 dB (2050 MHz)	
MFK 11	208324	1	-401190	1695,71	TV/FM handheld meter; frequency range: 5–862 MHz; level display analogue and digital; C/N measurement analogue/digital; spectrum display	
MFK 16	21710016	1 10	-448492 -448508	710,53	DVB–T meter, frequency range: 167–230/474–862 MHz; Level and BER measurement of digit. terr. signals; Battery operated with charger p.s.u. 100–240 V ac	
MSK 15	21710013	1 10	-436659 -438233	591,11	Sat meter; frequency range: 950–2150 MHz; level and BER measurement of digital Sat signals; battery operating; with charger psu 100–240 V AC	
MSK 25	21710012	1	-435928	2143,52	Signal meter Sat/TV/FM; TFT colour screen; spectrum display; BER/MER measurement; level measurement of analogue and digital signals	
MSK 25/M	21710017	1	-449024	2668,95	Signal meter Sat/TV/FM; TFT colour screen; MPEG card; spectrum display; BER/MER measurement; display of analogue and digital signals	
MSK 25/TM	21710014	1	-446993	3164,52	Signal meter Sat/Terr/DVB–T; TFT colour screen; MPEG card; spectrum display; BER/MER measurement; display of analogue and digital signals	
MSK 33/G	208302	1	-374364	4143,74	Signal meter Sat/TV/FM; TFT colour screen 5,5"; graphic card; spectrum analyser; level measurement of analogue and digital signals	

Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
MSK 33/M	208313	1	-393860	6293,22	Signal meter Sat/TV/FM; TFT colour screen 5,5"; graphic, QPSK and MPEG cards; BER/MER display; constellation analysis	
MSK 33/MR	208318	1	-398995	6866,42	Signal meter Sat/TV/FM; TFT colour screen 5,5"; graphic, QPSK, MPEG and return path cards; constellation analysis	
MSK 33/Q	208312	1	-393853	4991,59	Signal meter Sat/TV/FM; TFT colour screen 5,5"; graphic and QPSK cards; BER/MER display; constellation analysis; S/N measurement	
MSK 33/TM	21710004	1	-410284	8609,89	Signal meter Sat/Terr/DVB-T; TFT colour screen 5,5"; graphic, QPSK, MPEG and DVB-T cards; Echo software; LVDS interface	
MSK 33/TMR	21710007	1	-423833	9254,74	Signal meter Sat/Terr/DVB-T; TFT colour screen 5,5"; graphic, QPSK, MPEG, DVB-T and return path cards; Echo software; LVDS interface	
MVG 10	208320	1	-399251	2161,43	Video generator; sweep and video modulating signal and noise generator; 4–1000 MHz; complete with stable leather case	
MZK 15	208589	1	-374357	131,36	Leather case for MSK 33	
MZK 16	208591	1 20	-401640 -401657	28,66	Anti-dazzle cover for MSK 33; shadows the display on the MSK 33; used with the MZK 15	
MZK 17	21710010	1	-428012	644,85	Leather case for combined meters MSK 33/.R + MVG 10 with pre-mounted coupler	
MZS 33/B	21710005	1	-416446	346,31	Measurement software for MSK 33; enabling measurement and protocolling of antenna systems in range 47–862 MHz with PC or Laptop	
MZV 10	21710011	1	-426889	283,28	Pre-amplifier/filter for MSK 33; Frequency range: 109–1000 MHz; gain: 19 dB; to enhance weak DVB-T signals	
NCF 13	230649	1 10	-398650 -398667	27,88	Remote feed power supply; to power pre-amplifiers VCP xx; IEC (f) sockets; Frequency range: 47–862 MHz	
NCF 18	230636	1 10	-367946 -368028	36,55	Power supply unit 18 V/650 mA for Sat IF distribution system; used with EXR 304/514 and VWS 220/551/991	
NCF 31	230630	1	-080647	97,09	Remote feed power supply 14/18 V; to remote power LNB; 2 remote power diplexers (Vert. 14 V, Hor. 18 V); max. current (H plus V): 360 mA; F–conn.	

Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
TVF 20	236678	1	-377457	49,97	Remote feed power supply 50 V/2 A-; clamp connection; secondary voltage: 50 V~, 0-2 A Primary: 230 V~, 50/60 Hz, typ.113 W	
UAS 177	268105	1	-367014	79,96	Universal single feed system (LNB); 10,70-12,75 GHz; 1 switchable output (14/18 V, 0/22 kHz); current drain: < 150 mA; Multi-feed compatible	
UAS 272	268119	1	-396939	114,22	Universal twin feed system; 10,70-12,75 GHz; 2 switchable outputs (14/18 V, 0/22 kHz); Current drain: < 200 mA; Multi-feed compatible	
UAS 481	20110011	1	-454004	193,04	Single cable quatro feed system; 10,70-12,75 GHz;	
UAS 484	268101	1	-355349	149,63	Universal quatro feed system; 10,70-12,75 GHz; 4 outputs (V-low, H-low, V-high, H-high); current drain: typ. 200 mA; Multi-feed compatible	
UAS 485	268120	1	-396892	166,77	Universal quatro feed system; 10,70-12,75 GHz; 4 switchable outputs (14/18 V, 0/22 kHz); current drain: < 270 mA; Multi-feed compatible	
UFC 560si	20210077	1 4	-453625 -453632	173,36	DVB-C receiver; Premiere decoding system (Nagra) integrated; SW download over cable; EPG; AC 3 el.; CI; 2 OSD languages (D,GB); silver	
UFC 560sw	20210078	1 4	-453649 -453663	173,36	DVB-C receiver; Premiere decoding system (Nagra) integrated; SW download over cable; EPG; AC 3 el.; CI; 2 OSD languages (D,GB); black	
UFD 170	20210063	1	-446856	533,17	DVB-S receiver-controller for mobile reception; 2 x CI; SW download; EPG; AC 3 el.; integrated controller.; OSD languages (D,GB,F,I,E,TR,P,NL);	
UFD 506	20210045	1 4	-440342 -440359	118,84	FTA DVB sat receiver; SW download; EPG; AC 3 electrical; OSD languages (D,GB,F,I,E,TR,P,NL); black	
UFD 506/S	20210046	1 4	-440366 -440380	118,84	FTA DVB sat receiver; SW download; EPG; AC 3 electrical; OSD languages (D,GB,F,I,E,TR,P,NL); silver	
UFD 516	20210047	1 4	-440472 -440489	140,65	DVB sat receiver; 2 CI; SW download; EPG; AC 3 electrical; OSD languages (D,GB,F,I,E,TR,P,NL); black	
UFD 516/S	20210048	1 4	-440397 -440410	140,65	DVB sat receiver; 2 CI; SW download; EPG; AC 3 electrical; OSD languages (D,GB,F,I,E,TR,P,NL); silver	
UFD 540	260515	1 4	-416354 -416361	294,39	DVB sat receiver for mobile use; 2 x CI; SW download; EPG; AC 3 electrical; 230/12 V; OSD languages (D,GB,F,I,E,TR,P,NL); black	















Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
UFD 550	20210057	1 4	-442698 -442704	249,68	DVR Sat receiver with 80 GB hard disk; EPG; SW download; AC 3 electrical; OSD languages (D,GB,F,I,E,TR,P,NL); black	
UFD 550/S	20210058	1 4	-442711 -442728	249,68	DVR Sat receiver with 80 GB hard disk; EPG; SW download; AC 3 electrical; OSD languages (D,GB,F,I,E,TR,P,NL); silver	
UFD 574/S	20210059	1 4	-442735 -442742	260,59	DVB-T receiver with 80 GB hard disk; EPG; AC 3 el; FTA dig. terr. programmes; SW download over air; OSD languages (D,GB,F,I,E,TR,P,NL); silver	
UFD 580	20210024	1 4	-438240 -438257	489,55	Twin DVR Sat receiver with 80 GB hard disk; 2 tuners; 2 x CI; EPG; SW download; AC 3 el. a. opt.; OSD languages (D,GB,F,I,E,TR,P,NL); black	
UFD 580/S	20210025	1 4	-438271 -438288	489,55	Twin DVR Sat receiver with 80 GB hard disk; 2 tuners; 2 x CI; EPG; SW download; AC 3 el. a. opt.; OSD languages (D,GB,F,I,E,TR,P,NL); silver	
UFD 593	20210053	1 4	-442018 -442032	173,36	DVB Sat receiver; Premiere decoding system (Nagra) integrated; SW download over Sat.; EPG; 2 x CI; AC 3 el.; 2 OSD languages (D,GB); black	
UFD 593/S	20210054	1 4	-442049 -442056	173,36	DVB-Sat-Receiver; Premiere decoding system (Nagra) integrated; SW download over Sat.; EPG; 2 x CI; AC 3 el.; 2 OSD languages (D,GB); silver	
UFD 595	20210043	1 4	-439483 -439490	75,23	DVB-C-Receiver; Premiere decoding system (Nagra) integrated; SW download over cable; EPG; AC 3 el.; 2 OSD languages (D,GB); black	
UFD 595/S	20210051	1 4	-440656 -440663	75,23	DVB-C receiver; Premiere decoding system (Nagra) integrated; SW download over cable; EPG; AC 3 el.; 2 OSD languages (D,GB); silver	
UFE 135	20210006	1 8	-412820 -412844	46,34	Sat receiver analogue; 450 memory positions; OSD 2 languages (D,GB); UHF modulator; 2 Scart sockets	
UFE 341/S	20210060	1 4	-442407 -442414	107,94	DVB-S FTA caravan receiver; EPG; Digital audio output; OSD languages (D,GB,I,E,); 230/12 V; silver	
UFE 370/S	20210052	1 4	-441998 -442001	86,14	DVB-T FTA digital terrestrial receiver; SW update over RS 232; EPG; Digital audio output.; OSD languages (D,GB,I,E,CZ); silver	
UFG 301/19"	20610066	1	-449215	605,39	UFOcompact Extension base unit 19" for 12 modules; for insertion in 19" cabinets; with psu, input splitter and output coupler	
UFG 304/19"	20610067	1	-449222	999,46	UFOcompact Extension base unit 19" for 12 modules; for 19" cabinets; with psu redundancy, input splitter and output couplers	
















Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
UFG 308	20610001	1	-461125	679,63	UFOcompact base unit for 8 modules; with psu/controller, input splitter, output couplers and launch amplifier	
UFG 311/19"	20610046	1	-430107	742,46	UFOcompact base unit 19" for 12 modules; for insertion in 19" cabinets; with psu/controller, input splitter and output coupler	
UFG 312	20610002	1	-461149	771,01	UFOcompact base unit for 12 modules; with psu/controller, input splitter, output couplers and launch amplifier	
UFG 313	20610004	1	-461156	633,94	UFOcompact extension base unit for 12 modules; with psu/input splitter, output couplers and launch amplifier	
UFG 314/19"	20610062	1	-444173	1136,53	UFOcompact base unit 19" for 12 modules; for 19" cabinets; with psu redundancy, controller, input splitter and output couplers	
UFM 313	20610063	1	-444180	347,66	UFOcompact Twin FM modulator; Input: 4 x audio (2 x L/R); output: 2 x 87,5–108 MHz	
UFM 340	20610047	1	-432378	347,66	UFOcompact Twin TV modulator VHF/UHF; Input: 2 x AV; Output: 2 x 110–862 MHz	
UFM 341	20610069	1	-450631	286,60	UFOcompact TV modulator VHF/UHF; Input: audio/video; Output: 47–68/110–862 MHz	
UFO 310	260479	1	-399275	198,13	UFOcompact FM band amplifier, with 4 x filters	
UFO 311	20610056	1	-440885	398,75	UFOcompact Twin FM channel converter; Input: 2 FM channels, 87,5–108 MHz, Output: 2 FM channels, 87,5–108 MHz	
UFO 312	20610052	1	-440892	679,11	UFOcompact Twin–DVB transcoder QPSK–FM; Input: 1 transponder 950–2150 MHz; Output: 2 FM channels 87,5–108 MHz	
UFO 320	260500	1 10	-399282 -404887	211,83	UFOcompact TV converter UHF–VHF; Input: 470–862 MHz; Output: 118–342 MHz	
UFO 321	260501	1 10	-399299 -404894	211,83	UFOcompact TV converter B III–VHF; Input: 174–230 MHz; Output: 118–342 MHz;	
UFO 340	20610007	1	-416309	372,58	UFOcompact Twin Sat TV channel module VHF/UHF; Input: 950–2150 MHz; Output: 2 x 110–862 MHz	

Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
UFO 341	20610054	1	-440915	305,29	UFOcompact Sat TV channel module VHF/UHF; Input: 950–2150 MHz; Output: 47–68/110–862 MHz	
UFO 350	260514	1	-412639	411,21	UFOcompact DVB–T converter UHF–UHF; Input: 470–862 MHz; Output: 470–862 MHz;	
UFO 351	20610049	1	-434266	411,21	UFOcompact DVB–T/analogue TV converter BIII/UHF–UHF; Input: 174–230/470–862 MHz; Output: 470–862 MHz	
UFO 352	20610055	1	-438684	411,21	UFOcompact DVB–T/analogue TV converter BIII/UHF–VHF; Input: 174–230/470–862 MHz; Output: 118–342 MHz	
UFO 353	20610015	1	-429392	654,19	UFOcompact DVB–T transcoder COFDM–PAL; Input: 174–230/470–862 MHz; Output: 110–862 MHz	
UFO 354	20610068	1	-450624	679,11	UFOcompact Twin DVB–T transcoder COFDM–PAL; Input: 174–230/470–862 MHz; Output: 2 x 110–862 MHz	
UFO 356/TP	20610013	1	-432156	635,50	UFOcompact DVB–T transmodulator COFDM–QAM; Input: 174–230/470–862 MHz; Output: 110–862 MHz; Transport stream processor	
UFO 382	20610048	1	-432385	591,89	UFOcompact transcoder QPSK–PAL; Input: 950–2150 MHz; Output: 110–862 MHz	
UFO 385	260455	1	-383250	392,52	UFOcompact Transmodulator QPSK–QAM; Input: 950–2150 MHz; Output: 302–606 MHz	
UFO 386/MTP	20610061	1	-444166	679,11	UFOcompact DVB transmodulator QPSK–QAM; Input: 950–2150 MHz; Output: 110–862 MHz; Multi–transport–stream processor	
UFO 386/TP	20610014	1	-432149	616,81	UFOcompact DVB transmodulator QPSK–QAM; Input: 950–2150 MHz; Output: 110–862 MHz; Transport–stream processor	
UFO 386/TP	20610059	1	-441967	616,81	UFOcompact DVB transmodulator QPSK–QAM (skyDSL); Input: 950–2150 MHz; Output: 110–862 MHz; Transport–stream processor; CNI for skyDSL	
UFO 387	260490	1	-389719	392,52	UFOcompact transmodulator QPSK–QAM; Input: 950–2150 MHz; Output: 110–302 MHz	
UFO 390	20610008	1	-416293	684,10	UFOcompact Twin transmodulator QPSK–QAM; Input: 950–2150 MHz; Output: 2 x 110–862 MHz	

Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
UFO 390/TP	20610064	1	-451522	808,71	UFOcompact Twin transmodulator QPSK-QAM; Input: 950-2150 MHz; Output: 2 x 110-862 MHz Transport-stream processor (stuffing, NIT)	
UFO 392	20610053	1	-440908	616,81	UFOcompact Twin DVB transcoder QPSK-PAL; Input: 950-2150 MHz; Output: 2 x 110-862 MHz	
UFS 301si	20210065	1 4	-449437 -449451	86,14	DVB-S receiver FTA; EPG; SW download; AC 3 electrical; mains switch; OSD languages (D,GB,I,E,F); silver	
UFS 543sw	20210076	1 4	-452765 -452772	206,07	DVB Sat receiver; Premiere decoding system (Nagra) integrated; SW download over Sat.; EPG; 2 x CI; AC 3 el.; 2 OSD languages (D,GB); black	
UFS 601si	20210073	1 4	-453908 -453915	81,77	DVB-S receiver FTA; EPG; SW download; AC 3 optical; 230V/12 V; silver; OSD languages (D,GB,F,I,E,NL,CZ,PL,TR,Hun,P)	
UFS 701si	20210083	1 4	-455636 -455643	86,14	DVB-S receiver FTA; EPG; SW download; AC 3 optical; 230V/12 V; silver; OSD languages (D,GB,F,I,E,NL,CZ,PL,TR,Hun,P)	
UFS 702si	20210079	1 4	-453922 -453939	97,04	DVB-S receiver FTA; EPG; SW download; AC 3 electrical/optical; mains switch; OSD languages (D,GB,F,I,E,NL,CZ,PL,TR,HUN); silver	
UFS 702sw	20210080	1 4	-453946 -453953	97,04	DVB-S receiver FTA; EPG; SW download; AC 3 electrical/optical; mains switch; OSD languages (D,GB,F,I,E,NL,CZ,PL,TR,HUN); black	
UFS 821si	20210071	1 4	-451485 -451492	489,55	Twin DVR Sat receiver with 160 GB hard disk; 2 tuners; 2 x CI; tvtv-EPG; SW download; AC 3 el. a. opt.; OSD languages (D,GB,F,I,E,TR,P,NL); silver	
UFS 821sw	20210072	1 4	-451508 -451515	489,55	Twin DVR Sat receiver with 160 GB hard disk; 2 tuners; 2 x CI; tvtv-EPG; SW download; AC 3 el. a. opt.; OSD languages (D,GB,F,I,E,TR,P,NL); black	
UFT 171si	20210070	1 4	-449819 -450488	86,14	DVB-T receiver for free digital terr. programmes, SW update RS 232; EPG; AC3 electrical; 230/12 V; OSD languages (D,GB,I,E,PL,CZ,H,TR); silver	
UFT 571si	20210067	1 4	-449390 -449406	97,04	DVB-T receiver FTA; SW update over RJ 11; EPG; AC 3 electrical and optical; OSD languages (D,GB,I,E,F,P,NL,TR); silver	
UFT 571sw	20210068	1 4	-449413 -449420	97,04	DVB-T receiver FTA; SW update over RJ 11; EPG; AC 3 electrical and optical; OSD languages (D,GB,I,E,F,P,NL,TR); black	
UFX 312	20610040	1	-432347	336,96	UFOcomp. Data bus de-multiplexer; enables central control of up to 12 modules (cascadable); retro-fitable for base units and 19" cabinets	















Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
UFZ 300	20610070	1	-450648	55,97	UFOcompact 4-way add-on input splitter	
UFZ 340	20410015	1	-447297	21,70	Mounting set; suitable for DVB caravan receivers UFE 341/S and UFE 371/S	
UFZ 383	20610006	1	-415210	54,83	Common Interface retro-fit set; suitable for UFOcompact DVB transcoders UFO 353/382/383/384	
UFZ 540	20410006	1	-422225	28,56	Mounting set; suitable for DVB caravan receiver UFD 540	
USW 30	20610041	1	-432361	219,31	UFOcompact software, for Windows 95/98/2000/NT/XP; programming and remote control via PC/Laptop + read in/out + archiving of headend tuning	
VCA 20	230053	1 10	-079559 -079566	56,97	Compact amplifier; 1 input AM-FM/BI/BIII/UHF; Gain: AM -1,5, VHF-UHF 20 dB; Noise figure: 7 dB; Remote feedable over output: 15 V/100 mA	
VCA 28	230055	1 10	-079597 -079603	93,95	Compact amplifier; 1 input AM-FM/BI/BIII/UHF; Gain: AM -1,5, VHF-UHF 28 dB, Noise figure: 7 dB; 4 attenuators; remote feed reserve: 15 V/60 mA	
VCB 20	230054	1 10	-079573 -079580	56,97	Compact amplifier; 4 inputs AM-FM/BI/BIII/UHF; Gain: AM -1,5, VHF-UHF 20 dB; noise figure: 7 dB; Remote feedable over output: 15 V/100 mA	
VCB 28	230056	1 10	-079610 -079627	93,95	Compact amplifier; 4 inputs AM-FM/BI/BIII/UHF; Gain: AM -1,5, VHF-UHF 28 dB, noise figure: 7 dB; 4 attenuators; remote feed reserve: 15 V/80 mA	
VCC 37	230051	1 10	-079528 -079535	34,98	Mini Compact amplifier; 3 inputs FM/BIII/UHF; Gain: VHF-UHF 20 dB; Noise figure: 7 dB	
VCN 20	230243	1 50	-080234 -080241	45,48	Distribution amplifier 10 dB; 47-862 MHz; to plug on antenna outlets; with plug-psu; 3 outputs: TV/Radio/output amplified (F connector)	
VCP 27	230042	1 20	-079498 -352652	70,96	Low noise pre-amplifier FM band	
VCP 35	2335.. (Order no. see catalogue or CD ROM)	1	—	125,93	Pre-amplifier 1 Chan. B III	














Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
VCP 45	2335.. (Order no. see catalogue or CD ROM	1	_____	143,92	Pre-amplifier 1 Chan. B IV	
VCP 55	2335.. (Order no. see catalogue or CD ROM	1	_____	143,92	Pre-amplifier 1 Chan. B V	
VCP 66	230041	1	-079481	96,95	Pre-amplifier UHF	
VGR 100	232204	1 10	-394188 -394195	21,99	Return path card passive, for VOS 1xx/x, equaliser and attenuator 0–20 dB	
VGR 121	232203	1 10	-394164 -394171	32,68	Return path amplifier 22 dB/30 MHz, for VOS 1xx/x, equaliser and attenuator 0–20 dB (on output)	
VGR 122	232202	1 10	-394140 -394157	32,68	Return path amplifier 22 dB/65 MHz, for VOS 1xx/x, equaliser and attenuator 0–20 dB (on output)	
VGR 131	232206	1 10	-396847 -396854	35,88	Return path amplifier 32 dB/30 MHz, for VOS 1xx/x, equaliser and attenuator 0–20 dB (on output)	
VGR 132	232205	1 10	-396861 -396878	35,88	Return path amplifier 32 dB/65 MHz, for VOS 1xx/x, equaliser and attenuator 0–20 dB (on output)	
VGR 28/30	20910008	1 10	-429446 -429453	46,18	Return path amplifier 28 dB/30 MHz, for VOS 30/40/F, equaliser and attenuator 0–20 dB (on output)	
VGR 28/65	20910009	1 10	-429460 -429477	46,18	Return path amplifier 28 dB/65 MHz, for VOS 30/40/F, equaliser and attenuator 0–20 dB (on output)	
VOS 11/F	230073	1 10	-368677 -368684	34,88	In-house distribution amplifier; 862 MHz; F-connector; Gain: 11 dB; Noise figure: 5 dB; max. (60 dB CTB/CSO): 94 dBμV	
VOS 135/G	20910005	1 10	-426087 -426094	233,87	In-house distr. amplifier; 606/862 MHz; GaAs; PG 11; Gain 28–34 dB; var. Level/equaliser 20 dB; max. (60 dB CTB/CSO) 606/862 MHz: 112/110 dBμV	
VOS 135/P	230083	1 10	-397264 -397271	191,90	In-house distr. amplifier; 606/862 MHz; F-conn.; Gain: 28/35 dB; var. Level/equaliser: 20 dB; max. (60 dB CTB/CSO) 606/862 MHz: 109/107 dBμV	
VOS 136/G	20910006	1 10	-426117 -426148	251,86	In-house distr./network amp.; rem. feed; PG 11; 606/862 MHz; Gain 28–34 dB; var. lev./equa. 20 dB; max.(60 dB CTB/CSO) 606/862 MHz: 112/110 dBμV	















Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
VOS 20/F	230075	1 10	-368714 -368721	42,38	In-house distribution amplifier; 862 MHz; F-conn.; Gain: 20 dB; var. level; Noise figure: 5 dB; max. (60 dB CTB/CSO): 94 dBμV	
VOS 20/FB	230080	1 10	-384882 -384899	47,97	In-house distr. amplifier; 862 MHz; F-conn.; Gain: 20 dB; var. Level/equaliser: 20 dB; pass. Return path 4-65 MHz; max. (60 dB CTB/CSO): 94 dBμV	
VOS 20/FR	230076	1 10	-368738 -368745	44,58	In-house distr. amplifier; 862 MHz; F-conn.; Gain: 20 dB; var. Level/equaliser: 20 dB; pass. Return path 4-30 MHz; max. (60 dB CTB/CSO): 94 dBμV	
VOS 30/F	20910002	1 10	-415852 -415869	69,96	In-house distr. amplifier; F-conn.; Gain 24/30 dB; 5-30(65)/47(80)-862 MHz; var. Level/equal. 20 dB; max. operating level (60 dB CTB/CSO): 98 dBμV	
VOS 40/F	20910012	1 10	-438561 -438585	134,93	In-house distr. amplifier; F-conn.; Gain 34/40 dB; 5-30(65)/47(80)-862 MHz; var. Level/equal. 20 dB; max. operating level (60 dB CTB/CSO): 104 dBμV	
VOS 940	24410019	1 10	-432248 -434631	253,86	House Con./Distr.Netw. Amplifier; monitorable; local feed.; F-conn.; gain: 38 dB F.P. 30 dB R.P.; max. operating level (60 dB CTB/CSO): 110 dBμV	
VOS 941	24410067	1 10	-444210 -444227	286,85	House Con./Distr.Netw. Amplifier; monitorable; remote feed.; PG 11; gain: 38 dB F.P. 30 dB R.P.; max. operating level (60 dB CTB/CSO): 110 dBμV	
VOS 950	24410077	1 10	-456169 -456176	264,86	House Con./Distr.Netw. Amplifier; monitorable; local feed.; F-conn.; gain: 38 dB F.P. 30 dB R.P.; max. operating level (60 dB CTB/CSO): 112 dBμV	
VOS 951	24410076	1 10	-456183 -456190	296,84	House Con./Distr.Netw. Amplifier; monitorable; remote feed.; PG 11; gain: 38 dB F.P. 30 dB R.P.; max. operating level (60 dB CTB/CSO): 112 dBμV	
VWS 04	20510015	1 20	-451539 -451546	27,41	Sat IF amplifier; 47-862/950-2400 MHz; Gain: 15-20 dB(Sat); passive by-pass 47-862 MHz; remote feedable: +12-20 V; F-connector	
VWS 04	230597	1 20	-342134 -342141	27,41	Sat IF amplifier; 950-2400 MHz; F-connector; Gain: 15-20 dB; remote feedable: +12-20 V	
VWS 22	230594	1 10	-080609 -342721	169,05	Sat/terr system amplifier; 47-862/950-2400 MHz; 1 input; 1 output; F-connectors; Gain: 47-862 MHz 20 dB, 950-2400 MHz 22-28 dB	
VWS 220	230639	1 10	-371042 -371059	58,25	Sat IF broadband amplifier; 2 x 950-3000 MHz; F-connectors; Gain: 6-12 dB	















Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
WVS 330	230599	1 10	-342790 -347283	91,38	Sat distribution net amplifier; 47–862 a. 2 x 950–2400 MHz; 3 inputs/3 outputs; incl. plug-in psu NCF 18; suitable for EXR 3xx	
WVS 500	20510004	1 10	-426414 -426421	181,62	Matrix distribution net amplifier; 47–862 a. 4 x 950–2150 MHz; 5 inputs/5 outputs; complete with psu; current reserve for LNB–supply: 680 mA	
WVS 551	230650	1 10	-401602 -401619	105,09	Sat distribution net amplifier 47–862 a. 4 x 950–2150 MHz; 5 inputs/5 outputs; remote fed from matrix; suitable for EXR 5xx	
WVS 991	20510001	1 10	-419355 -419362	171,34	Sat distribution net amplifier; 47–862 a. 8 x 950–2150 MHz; 9 inputs/9 outputs; remote fed from matrix; suitable for EXR 9xx	
WFS 130	222262	1 10	-365911 -365928	26,59	Return path filter 5–30/47–862 MHz, for VOS 1xx/x, complete for in and output	
WFS 14	222291	1 10	-400766 -400773	38,27	Multiplexer; 1 x terr. a. 4 x Sat IF; to insert terr. signals in systems using the UAS 485	
WFS 165	222263	1 10	-365935 -365942	26,59	Return path filter 5–65/80–862 MHz, for VOS 1xx/x, complete for in and output	
WFS 166	20910010	1 10	-432293 -432316	26,59	Return path filter 5–65/85–862 MHz, for VOS 1xx/x, complete for in and output	
WFS 23	222259	1 20	-051715 -332968	39,98	Sat band multiplexer; 1 x terr. a. 1 x Sat IF; to couple together or split up terr. and Sat signals	
WFS 27	222258	1 10	-051692 -051708	28,38	Remote feed diplexer 47–2400 MHz, F–connectors, remote feed: max. 24 V/0,5 A	
WFS 903	24510047	1 10	-432484 -432514	21,59	Return path filter 5–30/47–862 MHz; for VOS 9xx and VGF 938; complete for in and output	
WFS 906	24510064	1 10	-447877 -447884	21,59	Return path filter 5–65/85–862 MHz; for VOS 9xx and VGF 938; complete for in and output	
WSC 20	223020	1 20	-054297 -054303	30,98	Combi–diplexer screened; 2 inputs; AM/FM/BI a. BIII/BIV/BV; thru' loss: 0,5 dB	
WSC 37	223028	1 20	-054396 -054402	33,98	Combi–diplexer screened; 3 inputs; LMShU/BI a. BIII a. BIV/BV; Thru' loss: 0,5–1,5 dB	















Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
WSV 19	225608	1 20	-065583 -336348	44,48	Add-on diplexer AM/FM/BI a. BIII/UHF; 2 inputs; thru' loss: 0,5 dB	
WSV 20	225609	1 20	-065590 -336355	43,48	Add-on diplexer 0,15–450 MHz a. UHF; 2 inputs; Thru' loss: 2,0 dB; couples e.g. cable net a. added UHF channels together	
WSV 21	225602	1 20	-065514 -065521	41,38	Add-on diplexer AM a. FM/BI/BIII/UHF; 2 inputs; thru' loss: 1 dB; in/output diplexer for AM range	
WSV 24	224500	1	-059087	39,58	Add-on diplexer Ch 5 a. Ch. 7–12	
WSV 24	224501	1	-059117	39,58	Add-on diplexer Ch 5–6 a. 8–12	
WSV 25	225600	1 20	-065491 -336379	47,37	Add-on diplexer AM/FM a BI; 2 inputs; thru' loss: 1,5 dB AM/FM, 0,5 dB BI	
WSV 27	224... (Order no. see catalogue or CD ROM)	1	_____	67,96	Add-on diplexer 2 Chan. UHF	
ZAH 05	218690	1 10	-386565 -386572	4,00	Mounting rail set; for switching matrices in housings with 9 or 14 F-connectors	
ZAS 02	218612	1 5	-047282 -047299	11,82	Mast 0,56 m; diameter: 60 mm; used with ZTH 01; suitable for CAS 60/75/90	
ZAS 03	218613	1 25	-047305 -047312	35,71	Mast 2,0 m; diameter: 60 mm; suitable for CAS 60/75/90/120	
ZAS 04	218687	1 25	-358692 -366116	53,62	Mast 3,0 m; diameter: 60 mm; suitable for CAS 60/75/90/120	
ZAS 05	20410007	1 25	-428098 -428104	23,76	Mast 2,0 m; diameter: 48 mm; recommended for CAS 60/75	
ZAS 06	20410008	1 25	-428111 -428128	38,09	Mast 3,0 m; Diameter: 48 mm; recommended for CAS 60/75	
ZAS 120	218672	1	-047664	154,05	Azimuth/Elevation support; used with CAS 120; for mast diameters 50–90 mm	















Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
ZAS 15	218603	1	-047237	82,40	Stand mast; height: 810 mm; Diameter: 76 mm; suitable for ZAS 120/CAS 120; galvanised	
ZAS 16	218606	1	-047268	288,99	Wall support suitable for ZAS 120/CAS 120	
ZAS 40	20410011	1	-440847	79,89	Roof beam antenna support 48/900 mm; diameter: 48 mm; mast length: 900 mm; steel, galvanised; suitable for CAS 60/75/90	
ZAS 41	20410012	1	-440861	83,47	Roof beam antenna support 48/1300 mm; diameter: 48 mm; mast length: 1300 mm; steel, galvanised; suitable for CAS 60/75/90 and FM antenna	
ZAS 60	218682	1	-047770	13,73	Wall support, short; suitable for CAS 60/75	
ZAS 61	218683	1	-047787	23,29	Wall support, long, suitable for CAS 60/75	
ZAS 62	218685	1	-342608	26,27	Wall support, short, suitable for CAS 90	
ZAS 63	218686	1	-342592	34,03	Wall support long, suitable for CAS 90	
ZAS 74	218654	1	-047497	29,85	Wall support short, cast aluminium, suitable for CAS 60/75	
ZAS 76	218653	1	-047480	46,57	Wall support long, cast aluminium, suitable for CAS 60/75	
ZAS 90	218684	1	-339769	13,73	Multi-feed adapter plate; suitable for CAS 75/90	
ZAW 13	21410007	1	-455681	66,87	Compression plier CX3 ALL SIZE; for the compression connectors EMK 12 and EMK 19	
ZED 16	276121	1	-338991	89,86	Earthing wire A: 16 mm ² ; copper solid wiring; isolated; 50 m. bundle	
ZEK 11	276021	10 50	-375163 -145308	6,16	Guttering earthing clamp; galvanised; A max.: 50 mm ²	















Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
ZES 02	276028	1 100	-145384 -145391	4,28	Earthing rail; 2 clamps; for coaxial cable D max.: 8 mm	
ZES 11	276020	10 100	-375170 -145285	6,58	Earthing rail; 3 x 2 connections for coaxial cable D max.: 8 mm	
ZES 12	276022	10 100	-375187 -145322	7,21	Earthing rail; 3 connections for coaxial cable D max.: 12 mm	
ZEU 01	276011	10	-375217	4,08	Earthing band clamp; D max.: 48 mm	
ZEU 02	276012	10 20	-375224 -145179	4,70	Earthing band clamp; D max.: 120 mm	
ZEU 42	276016	10 50	-375231 -145193	4,70	Earthing clamp; for D = 42 mm (1 1/4")	
ZEU 48	276017	10 50	-375248 -145216	4,39	Earthing clamp; for D = 48 mm (1 1/2")	
ZEU 60	276018	10 50	-375255 -145230	7,42	Earthing clamp; for D = 60 mm (2")	
ZEV 11	276019	10	-375132	1,88	Earthing coupler; galvanised	
ZSA 21	218312	1 5	-046230 -046247	21,94	Plug-in mast 2,0 m; D = 42 mm; piping strength: 2 mm; hot-dipped galvanised; turn-secured; common outer diameter; St 37	
ZSA 46	218334	1 4	-046339 -046346	27,17	Plug-in mast 2,0 m; D = 48 mm; 2 mm piping; hot-dipped galvanised; twist-secured; common outer diameter; St 37	
ZSD 48	218380	1	-046582	82,55	Telescopic mast 2 x 2 m; 40/48 mm; St 52; 2,5 mm piping; hot-dipped galv.; anti-twist secured; max. bend. moment (800 N/m ² , 3 m used length): 1170 Nm	
ZSF 47	218385	1	-046643	72,10	Telescopic mast 2 x 2,5 m; 40/48 mm; St 37; 2 mm piping; hot-dipped galv.; twist secured; max bend. moment (800 N/m ² , 4/3 m used length): 500/540 Nm	
ZSF 48	218381	1 25	-046599 -046605	93,00	Telescopic mast 2 x 2,5 m; 40/48 mm; St 52; 2,5 mm piping; hot-dipped galv.; twist secured; max bend. moment (800 N/m ² , 4/3 m used length): 1040/1080 Nm	















Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
ZSH 47	218386	1 25	-046650 -046667	82,55	Telescopic mast 2 x 3 m; 40/48 mm; St 37; 2 mm piping; hot-dipped galv.; twist secured; max bend. moment (800 N/m ² , 5/4 m used length): 320/430 Nm	
ZSH 48	218394	1 25	-046698 -046704	109,71	Telescopic mast 2 x 3 m; 40/48 mm; St 52; 2,5 mm piping; hot-dipped galv.; twist secured; max bend. moment (800 N/m ² , 5/4 m used length): 850/960 Nm	
ZSH 59	218382	1 25	-046612 -046629	130,61	Telescopic mast 2 x 3 m; 48/60 mm; St 52; 2,5 mm piping; hot-dipped galv.; twist secured; max bend. moment (800 N/m ² , 5/4 m used length): 1150/1280 Nm	
ZSH 62	218383	1	-046636	256,00	Telescopic mast 2 x 3 m; 48/60 mm; St 52; 4,5 mm piping; hot-dipped galv.; twist secured; max bend. moment (800 N/m ² , 5/4 m used length): 1950/2120 Nm	
ZSU 11	281322	1 5	-150074 -150081	10,34	Under-roof mast 1 m; bolt- fixed	
ZSU 15	218070	1 5	-045301 -045318	12,43	Under-roof mast 1,5 m; bolt fixed	
ZTA 11	218010	1 4	-435812 -375200	29,15	Antenna bracket; L = 450 mm; for B I/B III antennas up to 286 N windload; max windload: 13,5 Nm	
ZTA 12	218011	1 4	-435775 -375194	31,24	Antenna bracket; L = 300 mm; for UHF antennas up to 286 N windload; max. windload: 15 Nm	
ZTB 42	218304	1 5	-433641 -046117	18,70	Roof tile cover sheeting for D = max. 48 mm; Lead sheeting	
ZTB 61	218302	1 5	-433658 -376320	18,70	Roof tile cover sheeting for D = 60 mm; Lead sheeting	
ZTB 62br	21410009	1 10	-455698 -456619	14,21	Roof tile cover plate 38–60 mm, brown	
ZTB 62ro	21410010	1 10	-455711 -456626	14,21	Roof tile cover plate 38–60 mm, red	
ZTB 62sw	21410011	1 10	-455735 -456633	14,21	Roof tile cover plate 38–60 mm, black	
ZTC 01	218210	5 50	-045936 -045943	7,00	Grommet collar 27–60 mm; self vulcanising glue-collar; for retro-fitting	

Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
ZTC 05	218205	10 50	-375293 -045875	3,66	Mast tip cap; for mast diameters 32–48 mm	
ZTC 06	218214	1 50	-045950 -045967	3,82	Mast tip cap; for mast diameters 48–60 mm	
ZTC 07	218215	10 50 200	-433665 -045981 -341694	1,55	Mast tip cap for mast diameter 60 mm	
ZTC 08	218219	10 50	-401718 -401725	5,49	Mast tip sealing cap for mast diameters 48/60 mm; 10 x LCD 90/95/99/111 cable insertion over the mast tip	
ZTC 42	218208	5 150	-433672 -045899	4,28	Sealing collar D = 42 mm, for water-tight sealing of cable insertion openings in roofing	
ZTC 48	218209	5 150	-433689 -045912	4,28	Sealing collar D = 48 mm, for water-tight sealing of cable insertion openings in roofing	
ZTC 60	218338	5 150	-433696 -376696	4,28	Sealing collar D = 60 mm, for water-tight sealing of cable insertion openings in roofing	
ZTC 91	218201	50 500	-375309 -045851	0,61	Rubber grommet for cable insertion in telescopic masts	
ZTH 01	218362	1 4	-046506 -375156	38,56	Mast wall-mount support set; for antenna masts with diameters 27–60 mm; max. collar 230 mm; hot-dipped galvanised	
ZTH 12	218364	1 2	-433726 -046544	54,23	Mast fixing, lower; between joist fixing for mast diameter: 32 u. 48 mm; distance between joists: 0,5–0,8 m	
ZTH 13	218365	1 2	-433740 -046568	54,23	Mast fixing, upper; between joist fixing for mast diameter; L = 1,1 m for mast diameter: 32 a. 48 mm	
ZTI 01	218363	1 4	-433719 -375934	31,24	Mast spacing support; for D = 32–60 mm; to match up fixing points on different levels in roofing beams; Distances: 15–160 mm	
ZTM 01	218359	1 10	-433757 -046490	7,21	Mast foot; mast diameter: 32–60 mm; with earthing connection	
ZTS 148	20410001	1	-407451	42,87	Mast mounting set 48 mm; (mast cap ZTC 08, sealing collar, lead roofing sheet, mast foot, mast clamp, wood screws)	





Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание	
ZTS 149br	20410019	1	-455810	40,48	Mast mounting set 48 mm; (mast cap ZTC 08, sealing collar, alu roofing sheet, mast foot, mast clamp, wood screws)	
ZTS 149ro	20410020	1	-455834	40,48	Mast mounting set 48 mm; (mast cap ZTC 08, sealing collar, alu roofing sheet, mast foot, mast clamp, wood screws)	
ZTS 149sw	20410021	1	-455841	40,48	Mast mounting set 48 mm; (mast cap ZTC 08, sealing collar, alu roofing sheet, mast foot, mast clamp, wood screws)	
ZTS 160	20410002	1	-407468	44,06	Mast mounting set 60 mm; (mast cap ZTC 08, sealing collar, lead roofing sheet, mast foot, mast clamp, wood screws)	
ZTS 161br	20410022	1	-455858	41,68	Mast mounting set 60 mm; (mast cap ZTC 08, sealing collar, alu roofing sheet, mast foot, mast clamp, wood screws)	
ZTS 161ro	20410023	1	-455865	41,68	Mast mounting set 60 mm; (mast cap ZTC 08, sealing collar, alu roofing sheet, mast foot, mast clamp, wood screws)	
ZTS 161sw	20410024	1	-455872	41,68	Mast mounting set 60 mm; (mast cap ZTC 08, sealing collar, alu roofing sheet, mast foot, mast clamp, wood screws)	
ZTS 40	20410013	1	-440878	27,35	Roof joist support mounting set; (roof sealing collar, lead roof sheet, mast cap ZTC 08, 6 wood screws)	
ZTS 41br	20410025	1	-455889	26,15	Roof joist support mounting set; brown; comprising: roof tiling collar, alu roof sheet, mast cap ZTC 08, 6 wood screws	
ZTS 41ro	20410026	1	-455902	26,15	Roof joist support mounting set; red; comprising: roof tiling collar, alu roof sheet, mast cap ZTC 08, 6 wood screws	
ZTS 41sw	20410027	1	-455919	26,15	Roof joist support mounting set; black; comprising: roof tiling collar, alu roof sheet, mast cap ZTC 08, 6 wood screws	
ZTU 142	21410001	10	-407512	4,70	Mast clamp 42 mm; for straight and sloped mounting; hot dipped galvanised; complete with fixing screws	
ZTU 148	21410002	10	-407536	5,75	Mast clamp 48 mm; for straight and sloped mounting; hot dipped galvanised; complete with fixing screws	
ZTU 160	21410003	10	-407550	6,16	Mast clamp 60 mm; for straight and sloped mounting; hot dipped galvanised; complete with fixing screws	

Цены фирмы РКК на продукцию KATHREIN

1 января 2006 г.

Тип	№	Ед. изм	EAN № 4021121-	Цена с НДС Евро	Описание
ZTU 62	218349	1 25	-046407 -046414	9,30	Mast clamp; adjustable for D = 20–60 mm 
ZTZ 42	218410	1 20	-046742 -046759	23,93	Mounting accessories for masts D = 42 mm 
ZTZ 48	218412	1 20	-046766 -046773	24,97	Mounting accessories for masts D = 48 mm 
ZTZ 60	218413	1 20	-046780 -046797	34,38	Mounting accessories for masts D = 60 mm 
ZVP 13	218445	1 20	-046902 -046919	12,43	External mounting set; for combi-diplexers WSC xx, traps and pre-amplifiers VCP xx; weather protection cap and mast support 